## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

## LISTING OF CLAIMS

- 1-17. (cancelled)
- 18. (currently amended) An organic electroluminescent device comprising:

  an organic thin-film transistor including at least an active layer made of an organic material; and
- an organic electroluminescent element driven by the organic thin-film transistor; and
- an interlayer-insulating film disposed between the organic thin-film transistor and the luminescent layer; and

the active layer being disposed between a gate of the organic thin-film transistor and the interlayer-insulating film.

- 19. (previously amended) The organic electroluminescent device according to Claim 18, further comprising a substrate, wherein the organic electroluminescent element is provided between the substrate and the organic thin-film transistor.
- 20. (previously amended) The organic electroluminescent device according to Claim 18, further comprising a substrate, wherein the organic thin-film transistor is provided between the substrate and the organic electroluminescent element.

- 21. (currently amended) The organic electroluminescent device according to Claim 18, wherein, in each pixel, a total area of a source region area and a drain region area of the organic thin-film transistor is being larger than an area of a region provided with a the luminescent material of the organic electroluminescent element layer.
- 22. (currently amended)The organic electroluminescent device according to Claim 18, wherein the source and the drain, which constitute the organic thin-film transistor, including a source having a first part and a plurality of second parts projecting from the first part and a drain having a third part and a plurality of fourth parts projecting from the third part. have bent parts that face each other at a predetermined spacing.
- 23. (currently amended) The organic electroluminescent device according to Claim 22, wherein a the gate is provided so as to covering at least a part of each of the plurality of second parts and at least a part of each of the plurality of fourth parts. the bent parts of the source and the drain.
- 24. (currently amended) The organic electroluminescent device according to Claim 22, one of the plurality of second parts being sandwiched between two of the plurality of fourth parts. wherein the bent parts of the source and the drain are provided in a comb-shape and face each other at a predetermined spacing.
- 25. (currently amended) The organic electroluminescent device according to Claim 22 18, the organic thin-film transistor including a source having a spiral shape and a drain having a spiral shape. wherein the bent parts of the source and the drain are provided in a spiral-shape and face each other at a predetermined spacing.

## 26-40. (withdrawn)

- 41. (currently amended)The organic electroluminescent device according to claim 18, wherein the active layer <u>includes</u> <del>comprises</del> an organic-semiconductor film made of at least one of anthracene, tetracene, and pentacene.
- 42. (currently amended)The organic electroluminescent device according to claim 19 18, wherein the organic electroluminescent element comprises a luminescent layer, the luminescent layer having a cylindrical shape.
- 43. (previously added) The organic electroluminescent device according to claim 42, wherein the luminescent layer has a thickness of about 80 nm.
- 44. (currently amended) The organic electroluminescent device according to claim 42, wherein the luminescent layer <u>includes</u> <del>comprises</del> at least one of polyfluorene and polyparaphenylene.
- 45. (currently amended) The organic electroluminescent device according to claim 49-18, further comprising:

an <u>a first</u> electrode connected to the organic thin-film transistor and in contact with the luminescent layer; and

a second electrode that sandwiches the luminescent layer with the first electrode.

an insulation film provided between the electrode and the substrate.

46. (currently amended) The organic electroluminescent device according to claim 45, further comprising:

An area occupied by the first electrode is larger than an area occupied by the a luminescent layer comprised of the organic luminescent element,

------wherein the electrode is larger than the luminescent layer.

47. (currently amended) The organic electroluminescent device according to claim 20 45, further comprising:

an the first electrode connected to the organic thin-film transistor and contacted with a luminescent layer, wherein the electrode has having a cylindrical shape.